

| | | | |
|----------|-----------------------------|--------------|-------------------|
| Product: | Jewelry Box | | |
| Scope: | All types of Jewelry Boxes. | Protocol No. | TYCP-01011-NA |
| | | Version | 1.0 |
| | | Issue Date | 15 Jan 2013 |
| | | Prepared by | Intertek HK - TFH |
| | | Page | 1 of 6 |

NB: Where there is no applicable US or CN standard, Intertek has chosen the most relevant International standards to assess the product safety and performance. For undated references, the latest edition of the referenced document (including any amendments) applies.

| Attribute | Citation | Requirement / Limit | Result |
|--|-----------------------------|---|--------|
| Supplemental Protocol(s) | | | |
| *Battery Operated Product (If applicable) | Refer to TYCP-PS001(NA) | Battery operated product shall be reviewed and tested according to the requirements of TYCP-PS001(NA). | |
| *Batteries (If applicable) | Refer to TYCP-PS002(NA) | Batteries, included in the product, shall be reviewed and tested according to the requirements of TYCP-PS002(NA). | |
| For US Only | | | |
| *+CA Prop 65 (mandatory in state California) | Intertek Protocol | Consent Judgment of related court cases based on California Proposition 65. | |
| *+Children's Products Supplemental (Required if the product is graded as a children product) | Refer to TYCP-00004-US | Shall comply with all requirements in TYCP-00004-US. | |
| *+CPSIA Supplemental | Refer to TYCP-00001-US | Shall comply with all requirements in TYCP-00001-US. | |
| For Canada Only | | | |
| *+Children's Products Supplemental (Required if the product is graded as a children product) | Refer to TYCP-00004-CN | Shall comply with all applicable requirements. | |
| <i>Note: Additional cost, sample size & TAT may be required if testing to one or more supplemental protocols is necessary. Please refer to the above referenced supplemental protocol(s) for additional information.</i> | | | |
| Chemical Analysis | | | |
| For US Only | | | |
| *Lead Content of Paints or Similar Surface Coating | 16 CFR 1303 (Scope widened) | Shall not contain Lead or Lead compounds in which the Lead content is in excess of 0.009% (90ppm) by weight of the total content. | |

| | | | |
|----------|-----------------------------|--------------|-------------------|
| Product: | Jewelry Box | | |
| Scope: | All types of Jewelry Boxes. | Protocol No. | TYCP-01011-NA |
| | | Version | 1.0 |
| | | Issue Date | 15 Jan 2013 |
| | | Prepared by | Intertek HK - TFH |
| | | Page | 2 of 6 |

| Attribute | Citation | Requirement / Limit | Result |
|--|---|--|--------|
| *†California Air Resource Board (CARB) Formaldehyde Emissions from Composite Wood Products | Airborne Toxic Control Measure (ATCM) California Code of Regulations Title 17, § 93120 / ASTM D6007 | <p>The covered products include finished goods composed of or containing:</p> <ul style="list-style-type: none"> - Particleboard (PB); - Medium Density Fiberboard (MDF); - Thin MDF (≤ 8 mm in thickness); - Hardwood Plywood (HWPW) made with a composite core (veneer or composite). <p>1. It is the responsibilities of the importers and manufacturers to maintain chain of custody documentation which certifies the use of composite wood materials that meet CARB requirements. The documentation shall be retained for two years and readily accessible upon request.</p> <p>2. The label should include the fabricator's name, the date the finished good was produced and a marking to denote that the product was made with HWPW, PB, or MDF that complies with the applicable Phase 1 or Phase 2 emission standards in section 93120.2(a). Finished goods shall be labeled as having been made with no-added formaldehyde based resins or ULEF resins if this is so for all HWPW, PB, or MDF used in fabricating the finished goods.</p> <p>In lieu of testing, valid certificate can be submitted if dated within one year.</p> <p>Note: Intertek Shanghai, Shenzhen and Hong Kong are approved as third party certifier (TPC) for certification of CARB</p> | |
| *†Toxic Elements in Packaging Components | TPCH | Shall comply with TPCH in those states with legislation. Total concentration of Pb, Cd, Hg and hexavalent Cr ≤ 100 ppm. | |
| For Canada Only | | | |
| *Total Lead in Surface Coating | Canada Consumer Product Safety Act, Surface Coating Materials Regulations (Scope widened) | Shall not exceed 0.009% (90ppm) total lead. | |
| Physical Characteristic | | | |
| Overall Dimensions | ITS-M0059 | Report overall dimensions; shall meet label claims (if applicable). | |
| Overall Weight | ITS-M0059 | Report overall weight; shall meet label claims (if applicable). | |
| Capacity | ITS-M0059 | Report overall capacity; shall meet label claims (if applicable). | |
| No. of Doors | ITS-M0060 | As observed. | |
| No. of Drawers | ITS-M0060 | As observed. | |
| Parts Inventory | Visual Check | Shall meet label claims. | |
| Construction & Workmanship | | | |
| Sharp Points / Edges | 16 CFR 1500.48 / 1500.49 | Shall have no sharp points / edges before or after abuse testing. | |

| | | | |
|----------|-----------------------------|--------------|-------------------|
| Product: | Jewelry Box | | |
| Scope: | All types of Jewelry Boxes. | Protocol No. | TYCP-01011-NA |
| | | Version | 1.0 |
| | | Issue Date | 15 Jan 2013 |
| | | Prepared by | Intertek HK - TFH |
| | | Page | 3 of 6 |

| Attribute | Citation | Requirement / Limit | Result |
|---|---|---|--------|
| Defects | Visual Check | Shall have no discernible surface degradation, including crazing, shivering, bubbles, cracks, stains, deformations, chips, fractures, heavy lines, waves, shear marks, scratches, scuff marks, indentations, or blisters. | |
| Workmanship | Visual Check | Shall have no components missing, malformed, and/or fractured. | |
| Fastening Method | Visual Check | Must be suitable for intended use. | |
| Printing Quality | Visual check | Shall have uniform color and acceptable quality (no overprint nor misalignment). | |
| Performance Test | | | |
| Functionality | ITS-M0061 | Shall function as received. | |
| Stability (For free standing items) | ITS-M0015 | Must withstand 10° tipover. | |
| Surface Scratching (For free standing items) | ITS-M0058 | No scratching of test surfaces upon 3 times going back and forth over 6 in. | |
| Drop Test (For non-fragile items) | ITS-M0053 | No failure after 3 drops from 3 feet onto vinyl-tile concrete surface. The product must not break into pieces, deform or pose any use hazards such as sharp point/edge after drop test. Its shape shall not change in any manner. | |
| Lid Fitting | ITS-M0061 | Shall provide good fit after 100 open/close cycles. | |
| Mirror Quality (If applicable) | ITS-M0061 | No image distortion shall be observed. | |
| Loading Capacity | ITS-M0061 | No failure under 2 times claimed maximum weight load or the following test load for 1 hour if no claims. No deformation, failures, cracks or tearing shall be noted. Record loading. Test load (lbs.) per compartment = 1 × the smallest base inner dimension (in.) (e.g. 5 in. × 6 in. base, test load is 1 × 5 = 5 lbs.) | |
| *Musical (If applicable) | Actual Use | No failure or foreseeable loss of function after 100 actual use cycles. | |
| *Effects of Extreme Temperatures & Humidity | ITS-M0007 | No failure or visual change after 16 hours at 0°F & 8 hours at 120°F/95% RH. | |
| *Moisture Content (Solid wood only) | ITS-M0054 (Oven Dry Method) | Shall be between 8% - 12%. | |
| *Resistance To Corrosion (metal components) | ASTM B117 (Modified) | Withstand 24 hours in 1% salt spray (fog) with no major corrosion or visual change. Modification = 1% salt (fog) spray. | |
| *Transit Testing (By request only) | ISTA Procedure as Appropriate to Package | Packaged product shall be tested to applicable ISTA procedure and method, based on package configuration. Inspect package and product for damage upon completion of test. Report results. | |
| *Flammability on Solid Materials (For US only) | 16 CFR 1500.44 (Scope widened) | Burn rate < 0.10 inch/s. along the major axis. (Horizontal burning) | |
| Labeling Requirement | | | |
| Parts Labeling | ITS-M0060 | Shall match the actual content if present. | |
| Use Labeling | ITS-M0060 | Use/care instructions that are clear and understandable shall be provided in language appropriate to destination countries. | |
| Instructions | ITS-M0060 | Shall include assembly, use, maintenance, and safety information as required with no errors or spelling mistakes | |
| Verify Label Claims | Actual Use | Shall comply with all claims. | |

| | | | |
|----------|-----------------------------|--------------|-------------------|
| Product: | Jewelry Box | | |
| Scope: | All types of Jewelry Boxes. | Protocol No. | TYCP-01011-NA |
| | | Version | 1.0 |
| | | Issue Date | 15 Jan 2013 |
| | | Prepared by | Intertek HK - TFH |
| | | Page | 4 of 6 |

| Attribute | Citation | Requirement / Limit | Result | | | | | | | | | | | | |
|--|---|--|-----------------------------------|-----------------------|---|-------------------|---|-------------------|---|-------------------|--|-------------------|--|------------------|--|
| For US Only | | | | | | | | | | | | | | | |
| †Fair Packaging and Labeling Act (consumable products) OR Uniform Packaging and Labeling Regulations (other products) | Fair Packaging & Labeling Act (16 CFR 500) OR NIST Uniform Laws and Regulations Handbook 130 | Manufacturer, packer, or distributor's name & address (city, state & zip). Product Identification. | | | | | | | | | | | | | |
| | | Net quantity of contents shall be expressed in terms of weight or mass, measure, numerical count, or combination so as to give accurate information to facilitate consumer comparison (U.S. and metric units). | | | | | | | | | | | | | |
| †Country of Origin Marking | 19 CFR 134.11 | Shall indicate country of origin legibly, permanently, and in comparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Shall be visible at point of purchase. | | | | | | | | | | | | | |
| †Plastic Bag Warning Statement (If applicable) | Visual Check / Requirements Based on Various State Laws | <p>If plastic bags with a thickness less than 1 mil and an opening size $\geq 5"$ in diameter are present, the following warning statement shall be printed in a prominent place on each bag in English and appeared on both sides:</p> <p>WARNING: Keep this bag away from babies and children. Do not use in cribs, beds, carriages or playpens. The thin film may cling to nose and mouth and prevent breathing. This bag is not a toy.</p> <p>If the total length and width is $> 40"$, the warning shall be repeated in 20-inch intervals. The font size shall adhere to:</p> <table border="1"> <thead> <tr> <th>Total Length and Width of Bag</th> <th>Font</th> </tr> </thead> <tbody> <tr> <td>60 inches or more</td> <td>at least 24 point</td> </tr> <tr> <td>40 inches to less than 60 inches</td> <td>at least 18 point</td> </tr> <tr> <td>25 inches to less than 40 inches</td> <td>at least 14 point</td> </tr> <tr> <td>less than 25 inches</td> <td>at least 10 point</td> </tr> </tbody> </table> | Total Length and Width of Bag | Font | 60 inches or more | at least 24 point | 40 inches to less than 60 inches | at least 18 point | 25 inches to less than 40 inches | at least 14 point | less than 25 inches | at least 10 point | | | |
| Total Length and Width of Bag | Font | | | | | | | | | | | | | | |
| 60 inches or more | at least 24 point | | | | | | | | | | | | | | |
| 40 inches to less than 60 inches | at least 18 point | | | | | | | | | | | | | | |
| 25 inches to less than 40 inches | at least 14 point | | | | | | | | | | | | | | |
| less than 25 inches | at least 10 point | | | | | | | | | | | | | | |
| For Canada Only | | | | | | | | | | | | | | | |
| †Pre-packaged Product | Consumer Packaging and Labelling Act, R.S. 1985, c. C-38 and Regulations, C.R.C., c. 417 | <p>The net quantity declaration shall present on Principal Display Panel (PDP) in English and French, metric units.</p> <p>The numerical quantity shall be bold type with letter height based on the size of Principle Display Surface (X):</p> <table border="1"> <thead> <tr> <th>Size of Principle Display Surface</th> <th>Minimum letter height</th> </tr> </thead> <tbody> <tr> <td>$X \leq 32 \text{ cm}^2 (5 \text{ in}^2)$</td> <td>1.6 mm (1/16 in)</td> </tr> <tr> <td>$32 \text{ cm}^2 < X \leq 258 \text{ cm}^2 (40 \text{ in}^2)$</td> <td>3.2 mm (1/8 in)</td> </tr> <tr> <td>$258 \text{ cm}^2 < X \leq 645 \text{ cm}^2 (100 \text{ in}^2)$</td> <td>6.4 mm (1/4 in)</td> </tr> <tr> <td>$645 \text{ cm}^2 < X \leq 25.8 \text{ dm}^2 (400 \text{ in}^2)$</td> <td>9.5 mm (3/8 in)</td> </tr> <tr> <td>$25.8 \text{ dm}^2 (400 \text{ in}^2) < X$</td> <td>12.7 mm (1/2 in)</td> </tr> </tbody> </table> <p>All other information in the net quantity declaration (i.e. units of measurement statements, abbreviations, symbols, etc.) shall be shown in minimum 1.6 mm letter height.</p> | Size of Principle Display Surface | Minimum letter height | $X \leq 32 \text{ cm}^2 (5 \text{ in}^2)$ | 1.6 mm (1/16 in) | $32 \text{ cm}^2 < X \leq 258 \text{ cm}^2 (40 \text{ in}^2)$ | 3.2 mm (1/8 in) | $258 \text{ cm}^2 < X \leq 645 \text{ cm}^2 (100 \text{ in}^2)$ | 6.4 mm (1/4 in) | $645 \text{ cm}^2 < X \leq 25.8 \text{ dm}^2 (400 \text{ in}^2)$ | 9.5 mm (3/8 in) | $25.8 \text{ dm}^2 (400 \text{ in}^2) < X$ | 12.7 mm (1/2 in) | |
| Size of Principle Display Surface | Minimum letter height | | | | | | | | | | | | | | |
| $X \leq 32 \text{ cm}^2 (5 \text{ in}^2)$ | 1.6 mm (1/16 in) | | | | | | | | | | | | | | |
| $32 \text{ cm}^2 < X \leq 258 \text{ cm}^2 (40 \text{ in}^2)$ | 3.2 mm (1/8 in) | | | | | | | | | | | | | | |
| $258 \text{ cm}^2 < X \leq 645 \text{ cm}^2 (100 \text{ in}^2)$ | 6.4 mm (1/4 in) | | | | | | | | | | | | | | |
| $645 \text{ cm}^2 < X \leq 25.8 \text{ dm}^2 (400 \text{ in}^2)$ | 9.5 mm (3/8 in) | | | | | | | | | | | | | | |
| $25.8 \text{ dm}^2 (400 \text{ in}^2) < X$ | 12.7 mm (1/2 in) | | | | | | | | | | | | | | |

| | | | |
|----------|-----------------------------|--------------|-------------------|
| Product: | Jewelry Box | | |
| Scope: | All types of Jewelry Boxes. | Protocol No. | TYCP-01011-NA |
| | | Version | 1.0 |
| | | Issue Date | 15 Jan 2013 |
| | | Prepared by | Intertek HK - TFH |
| | | Page | 5 of 6 |

| Attribute | Citation | Requirement / Limit | Result |
|---|--|---|--------|
| | | Product identification shall be shown on Principal Display Panel (PDP) in English and French, minimum 1.6 mm letter height. | |
| | | Dealer's name and principal place of business (address) shall be shown on any part of label except bottom, English or French, minimum 1.6 mm letter height. For imported goods, the name and address of the dealer outside Canada or the name and address of Canadian dealers shall be preceded by "imported by" (" <i>importé par</i> ") or "imported for" (" <i>importé pour</i> "), unless a statement of geographic origin is located immediately adjacent to the name and address of a Canadian dealer, and shown with letter height at least as large as those used in the declaration of the Canadian dealer's principal place of business. | |
| The Language of Inscription (mandatory in Quebec) | The Charter of French Language, Title I, Chapter VII, Clause 51 & Regulations adopted under the Charter of French Language | Every inscription on the following shall be drafted in French, - product - product container or wrapping - document or object supplied with it (e.g. directions for use, warranty certificates) No inscription in another language may be given greater prominence than that in French. For exceptions, check the following webpage:— http://www.olf.gouv.qc.ca/english/regulations/reg_business.html#div1 | |
| †Country of Origin | Customs Tariff, Marking of Imported Goods Regulations, SOR/94-10 | The country of origin marking of Non-NAFTA imported goods shall be present in English or French. | |

Remark: Additional tests may be incurred subject to the final samples reviewed by Intertek.

Key: *: Additional charge items †: Mandatory Requirement

Testing Charge & Sample Size & Turnaround Time

| | | |
|---|---|--|
| Basic Package Price (Listed Price) | USD 210 (in which USD 48 is not discountable) for one market; Additional USD 23 for both markets | |
| Sample Size for basic package | 3 pieces | |
| Turnaround time | 7 working days | |
| Additional charge (Subject to client discount) | | Additional sample size |
| a. Battery Operated Product | Refer to TYCP-PS001(NA) | Refer to TYCP-PS001(NA) |
| b. Performance test protocol for Batteries | Refer to TYCP-PS002(NA) | Refer to TYCP-PS002(NA) |
| c. CA Prop 65 | On Quote | Subject to actual sample |
| d. Children's Products Supplemental - US | Refer to TYCP-00004-US | Refer to TYCP-00004-US |
| e. CPSIA Supplemental | Refer to TYCP-00001-US | Refer to TYCP-00001-US |
| f. Children's Products Supplemental - CN | Refer to TYCP-00004-CN | Refer to TYCP-00004-CN |
| g. Lead Content of Paints or Similar Surface Coating (US) | USD 31 per coating | 0.5 grams of coating on finished product |
| h. Formaldehyde Emissions | On Quote | Subject to actual sample |

© Intertek 2013, All Rights Reserved

Intertek is the owner of the copyright in the material and intellectual know-how presented. No parts of this material may be reproduced, adapted or distributed outside of your company without the consent of Intertek other than to the extent necessary to view the material.

| | | | |
|----------|-----------------------------|--------------|-------------------|
| Product: | Jewelry Box | | |
| Scope: | All types of Jewelry Boxes. | Protocol No. | TYCP-01011-NA |
| | | Version | 1.0 |
| | | Issue Date | 15 Jan 2013 |
| | | Prepared by | Intertek HK - TFH |
| | | Page | 6 of 6 |

| | | |
|---|--------------------------------------|--|
| i. Toxic Elements in Packaging Components | USD 54 per result | 0.5 grams per material |
| j. Total Lead in Surface Coating (CN) | USD 31 per coating | 0.5 grams of coating on finished product |
| k. Musical | USD 45 per result | 1 piece |
| l. Effects of Extreme Temperatures & Humidity | USD 64 per result | 2 pieces |
| m. Moisture Content | USD 37 per result | 1 piece |
| n. Resistance To Corrosion | USD 54 per style | 2 pieces |
| o. Transit Testing | ISTA 1A: USD 179 ISTA 1B: USD 231 | 1 full carton with products |
| p. Flammability on Solid (US) | USD 28 per result | 1 piece |

Remark:

Price quoted above is **LISTED** price based on our Hong Kong laboratory pricing.
Please check with local laboratories to confirm exact pricing for your region.

Revision History

| Issue No. | Revision date | Changes | Prepared by | Approved by |
|-----------|---------------|-----------------|-------------|----------------------------------|
| 1.0 | 05 Oct 2012 | Initial release | Mondy Tung | Taylor (Emily) on 08 Jan 2013 |